

Documents required for online application for import of fresh empty cylinders under Gas Cylinders Rules, 2016.

1. Application in Form 'B'
2. Copy of Invoice in the name of Importer.
3. Copy of **Chief Controller of Explosives approval for manufacture of the cylinders.**
4. Manufacturer's test & inspection certificate complete in all respects pertaining to each lot of cylinder duly signed by TPIA (Third Party Inspecting Agency).
5. Copy of hydrotest certificate.
6. Copy of DGFT licence (Optional)

Documents required for online application for import of filled cylinders under Gas Cylinders Rules, 2016.

1. Application in Form 'B'
2. Copy of Invoice in the name of Importer.
3. Manufacturer's test & inspection certificate complete in all respects pertaining to each lot of cylinder duly signed by TPIA (Third Party Inspecting Agency).
4. Copy of latest hydrotest certificate.
5. Copy of filler's certificate.
6. Details of the storage licence in Form 'F' of the Gas Cylinders Rules, 2016 for the filled cylinders to be imported.
7. Copy of DGFT licence (Optional)
8. In addition to the above documents, the following documents required to be uploaded, if the applicant imports toxic & corrosive gases:
 - a) The available infrastructure for safe handling and storage with the importer and user.
 - b) Details of emergency handling facility and equipment available in case of leakage
 - c) Details of technical experienced and trained manpower available for handling and storage of cylinders as per the provisions of the Gas Cylinders Rules, 2016.
 - d) NOC/permission from Ministry of Environment and Forests under Ozone Depleting Substances (Regulation & Control) Rules, 2000 in case of ODS in case of refrigerant/ODS gases.

NOTE :

For import of filled cylinders, storage licence in Form 'F' under Gas Cylinders Rules, 2016 is mandatory. However, no storage licence is required for those who import the following kinds and quantities of cylinders for their own use and not meant for sale or trading.

- a) 200 Nos. for Non Toxic & Non flammable gases (Eg. Oxygen, Nitrogen, Argon etc.)
- b) 5 cylinders for toxic gases
- c) 25 cylinders for Acetylene gas
- d) Non flammable and Non Toxic gas does not exceed twenty five or total weight shall not exceed 200 Kg. whichever is less