

**SAMPLES COLLECTED FROM FIREWORKS SHOP AND TESTED DURING THE MONTH OF OCTOBER 2013**

Sr. No.	Sample No.	Brand Name	Manufacturer	Name of Licensee/License No.	Drawn by	Received on	Tested on	Sound Level results	Remarks
1	TS/E/7(2)/13/311	Bullet Bomb	M/s.Shankar Fireworks, Sivakasi	Sri Mohd. Hussain, Amravati E/WC/MH/24/78(E14735)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 122.4 dB ii) Cpk (145 dB Max) - 143.2 dB	Passed
2	TS/E/7(2)/13/312	Sholay Bomb	M/s.Premier Fireworks, Sivakasi	Sri Mohd. Hussain, Amravati E/WC/MH/24/78(E14735)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 125.8 dB ii) Cpk (145 dB Max) - 145.7 dB	Failed
3	TS/E/7(2)/13/313	Saddam Bomb	M/s. Raja Fireworks, Terkheda	Sri Mohd. Hussain, Amravati E/WC/MH/24/78(E14735)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 131.1 dB ii) Cpk (145 dB Max) - 150.9 dB	Failed
4	TS/E/7(2)/13/314	Classic Bomb	M/s.Vardhan Fireworks, Sivakasi	Sri Mohd. Hussain, Amravati E/WC/MH/24/78(E14735)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 133.9 dB ii) Cpk (145 dB Max) - 153.3 dB	Failed
5	TS/E/7(2)/13/315	Bullet Bomb	M/s.Linga Fireworks, Sivakasi	Sri R.R. Thakur, Amravati E/WC/MH/24/351(E25705)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 125.8 dB ii) Cpk (145 dB Max) - 145.3 dB	Failed
6	TS/E/7(2)/13/316	Atom Bomb Small	M/s.Rajesh Fireworks Industries, Sivakasi	Sri R.R. Thakur, Amravati E/WC/MH/24/351(E25705)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 123.6 dB ii) Cpk (145 dB Max) - 143.5 dB	Passed
7	TS/E/7(2)/13/317	Nandi Ashok Cracker	Jayalakshmi Fireworks, Rajpalayam	Sri R.R. Thakur, Amravati E/WC/MH/24/351(E25705)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (117.7 dBmax) - 117.6 dB ii) Cpk (137.7 dB Max) - 137.0 dB	Passed
8	TS/E/7(2)/13/318	Electric Cracker (28 no.)	M/s.Akshyaa Fireworks Industries, Sivakasi	Sri R.R. Thakur, Amravati E/WC/MH/24/296(E15204)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (117.7 dBmax) - 119.3 dB ii) Cpk (137.7 dB Max) - 140.4 dB	Failed
9	TS/E/7(2)/13/319	2 Sound	Surgumnam Fireworks, Sivakasi	Sri R.R. Thakur, Amravati E/WC/MH/24/296(E15204)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 129.0 dB ii) Cpk (145 dB Max) - 152.6 dB	Failed
10	TS/E/7(2)/13/320	Black Commando	M/s.Vidarbha Fireworks Industries, Akola	Sri R.R. Thakur, Amravati E/WC/MH/24/296(E15204)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 128.8 dB ii) Cpk (145 dB Max) - 151.3 dB	Failed
11	TS/E/7(2)/13/321	Soldier Bomb	M/s.Vidarbha Fireworks Industries, Akola	Sri R.R. Thakur, Amravati E/WC/MH/24/296(E15204)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 130.7 dB ii) Cpk (145 dB Max) - 150.2 dB	Failed

12	TS/E/7(2)/13/322	Bullet Bomb	M/s.Dhanlakshmi Fireworks, Sivakasi	Sri Suresh Chandra Gupta, Amravati E/WC/MH/24/114(E14858)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 127.2 dB ii) Cpk (145 dB Max) - 149.7 dB	Failed
13	TS/E/7(2)/13/323	Hydro Bomb Green	M/s.Jayamurugan Fireworks, Sivakasi	Sri Suresh Chandra Gupta, Amravati E/WC/MH/24/114(E14858)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 125.6 dB ii) Cpk (145 dB Max) - 145.5 dB	Failed
14	TS/E/7(2)/13/324	Classic Bomb Green	M/s.Jayamurugan Fireworks, Sivakasi	Sri Suresh Chandra Gupta, Amravati E/WC/MH/24/114(E14858)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 131.5 dB ii) Cpk (145 dB Max) - 151.9 dB	Failed
15	TS/E/7(2)/13/325	Bullet Special Force	M/s.Sevenhill Fireworks Industries, Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/554(E68310)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 123.5 dB ii) Cpk (145 dB Max) - 143.1 dB	Passed
16	TS/E/7(2)/13/326	Laxmi	M.P. Fireworks , Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/554(E68310)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 131.3 dB ii) Cpk (145 dB Max) - 154.1 dB	Failed
17	TS/E/7(2)/13/327	2 Sound	Surgumnam Fireworks, Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/554(E68310)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 110.5 dB ii) Cpk (145 dB Max) - 132.2 dB	Passed
18	TS/E/7(2)/13/329	Jumbo Fire Cracker (24 no.)	Jumbo Fireworks Industries, Sivakasi	Sri Arpit Vilasrao Agarwal, Amravati E/WC/MH/24/530(E50160)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (118.4 dBmax) - 121.8dB ii) Cpk (138.0 dB Max) - 141.6 dB	Failed
19	TS/E/7(2)/13/330	Jumbo Monkey	Jumbo Fireworks Industries, Sivakasi	Sri Arpit Vilasrao Agarwal, Amravati E/WC/MH/24/530(E50160)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 131.6 dB ii) Cpk (145 dB Max) - 154.3 dB	Failed
20	TS/E/7(2)/13/331	Shaktiman	Ayyan Fireworks, Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/553(E68309)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 123.6 dB ii) Cpk (145 dB Max) - 143.1 dB	Passed
21	TS/E/7(2)/13/332	Electric Cracker (28 no.)	Kamal Fireworks Industries, Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/553(E68309)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (117.7 dBmax) - 112.5 dB ii) Cpk (137.7 dB Max) - 133.3 dB	Passed
22	TS/E/7(2)/13/333	Electric Cracker (28 no.)	Akshayaa Fireworks Industries, Sivakasi	Sri D.K. Gupta, Amravati E/WC/MH/24/553(E68309)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (117.7 dBmax) - 112.7 dB ii) Cpk (137.7 dB Max) - 133.6 dB	Passed
23	TS/E/7(2)/13/334	Mercury Atom Bomb	Sriram Fireworks Pvt. Ltd,	Sri Mohan Fulchand Agrarwal, Amravati E/WC/MH/24/173(E15018)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 127.3 dB ii) Cpk (145 dB Max) - 149.7 dB	Passed
24	TS/E/7(2)/13/335	2 Sound	Standard Fireworks, Sivakasi	Sri Mohan Fulchand Agrarwal, Amravati E/WC/MH/24/173(E15018)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (125 dBmax) - 106.3 dB ii) Cpk (145 dB Max) - 126.8 dB	Passed

25	TS/E/7(2)/13/336	Electric Cracker (Red Fort 28 no.)	Standard Fireworks, Sivakasi	Sri Mohan Fulchand Agrarwal, Amravati E/WC/MH/24/173(E15018)	Dy. CCE, DTS, Gondkahiry	10/14/2013	10/17/2013	i) AI (117.7 dBmax) - 112.7 dB ii) Cpk (137.7 dB Max) - 133.9 dB	Passed
26	TS/E/7(2)/13/400	Hydrogen Bomb	Parasram Fireworks Industries, Nagpur	Parasram D. Karwatkar, Nagpur E/WC/MH/24/6(E14427)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.8 dB ii) Cpk (145 dB Max) - 144.2 dB	Passed
27	TS/E/7(2)/13/401	Jadoo	Parasram Fireworks Industries, Nagpur	Parasram D. Karwatkar, Nagpur E/WC/MH/24/6(E14427)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 122.8 dB ii) Cpk (145 dB Max) - 141.3 dB	Passed
28	TS/E/7(2)/13/402	007 Bomb	Parasram Fireworks Industries, Nagpur	Parasram D. Karwatkar, Nagpur E/WC/MH/24/6(E14427)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.2 dB ii) Cpk (145 dB Max) - 144.3 dB	Passed
29	TS/E/7(2)/13/403	Hydrogen Bomb	Standard Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/510(E42890)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 134.8 dB ii) Cpk (145 dB Max) - 159.4 dB	Failed
30	TS/E/7(2)/13/404	Bullet Bomb	Standard Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/510(E42890)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.4 dB ii) Cpk (145 dB Max) - 144.4 dB	Passed
31	TS/E/7(2)/13/405	Thunder	Standard Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/510(E42890)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 134.9 dB ii) Cpk (145 dB Max) - 159.6 dB	Failed
32	TS/E/7(2)/13/406	Bacha Bomb	Jyothi Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/510(E42890)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.6 dB ii) Cpk (145 dB Max) - 144.6 dB	Passed
33	TS/E/7(2)/13/407	Dragon Bomb	Deepam Fireworks, Sivakasi	M/s. Shri Chandra Kumar J. Gehani, Nagpur E/WC/MH/24/373(E25800)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.6 dB ii) Cpk (145 dB Max) - 144.8 dB	Passed
34	TS/E/7(2)/13/408	Thunder Bomb	Santhiya Fireworks, Sivakasi	M/s. Shri Chandra Kumar J. Gehani, Nagpur E/WC/MH/24/373(E25800)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 122.2 dB ii) Cpk (145 dB Max) - 143.6 dB	Passed
35	TS/E/7(2)/13/409	24 Delux	Santhiya Fireworks, Sivakasi	M/s. Shri Chandra Kumar J. Gehani, Nagpur E/WC/MH/24/373(E25800)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 115.1 dB ii) Cpk (137.7 dB Max) - 134.6 dB	Passed
36	TS/E/7(2)/13/410	Electric Cracker	Standard Fireworks, Sivakasi	M/s. Shri Chandra Kumar J. Gehani, Nagpur E/WC/MH/24/373(E25800)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 112.2 dB ii) Cpk (137.7 dB Max) - 132.6 dB	Passed
37	TS/E/7(2)/13/411	Mini Bullet	Sri Kaliswari Fireworks, Sivakasi	M/s. Abdul Kareem Abdul Gafoor, Nagpur E/WC/MH/24/404(E25852)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 123.2 dB ii) Cpk (145 dB Max) - 144.2 dB	Passed

38	TS/E/7(2)/13/412	Lalkar	Barood Wala Fireworks, Sivakasi	M/s. Abdul Kareem Abdul Gafoor, Nagpur E/WC/MH/24/404(E25852)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.1 dB ii) Cpk (145 dB Max) - 144.1 dB	Passed
39	TS/E/7(2)/13/413	Meena	Meena Fireworks, Sivakasi	M/s. Abdul Kareem Abdul Gafoor, Nagpur E/WC/MH/24/404(E25852)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 120.4 dB ii) Cpk (145 dB Max) - 144.3 dB	Passed
40	TS/E/7(2)/13/414	Chitah	Jyothi Fireworks, Sivakasi	M/s. Abdul Kareem Abdul Gafoor, Nagpur E/WC/MH/24/404(E25852)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 102.3 dB ii) Cpk (137.7 dB Max) - 111.4 dB	Passed
41	TS/E/7(2)/13/415	Hydro Bomb Green	Ayaanar Fireworks, Sivakasi	M/s. Gurudev Fataka Co., Nagpur E/WC/MH/24/236(E15109)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 144.8dB ii) Cpk (145 dB Max) - 159.6 dB	Failed
42	TS/E/7(2)/13/416	Super Bomb	Ayaanar Fireworks, Sivakasi	M/s. Gurudev Fataka Co., Nagpur E/WC/MH/24/236(E15109)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 132.7 dB ii) Cpk (145 dB Max) - 157.6 dB	Failed
43	TS/E/7(2)/13/417	Bullet Bomb	Gems Fireworks, Sivakasi	M/s. Gurudev Fataka Co., Nagpur E/WC/MH/24/236(E15109)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 121.7 dB ii) Cpk (145 dB Max) - 142.7 dB	Passed
44	TS/E/7(2)/13/418	Sher Delux 28	Gems Fireworks, Sivakasi	M/s. Gurudev Fataka Co., Nagpur E/WC/MH/24/236(E15109)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 115.4 dB ii) Cpk (137.7 dB Max) - 120.4 dB	Passed
45	TS/E/7(2)/13/419	Hydrogen Bomb	Standard Fireworks, Sivakasi	M/s. Abdul Gafoor & Sons, Nagpur E/WC/MH/24/200(E15057)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 129.2 dB ii) Cpk (145 dB Max) - 149.3 dB	Failed
46	TS/E/7(2)/13/420	Atom Bomb	Jumbo Fireworks, Sivakasi	M/s. Abdul Gafoor & Sons, Nagpur E/WC/MH/24/200(E15057)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.6 dB ii) Cpk (145 dB Max) - 144.2 dB	Passed
47	TS/E/7(2)/13/421	Vulcano	Shama Fireworks, Jalgaon	M/s. Abdul Gafoor & Sons, Nagpur E/WC/MH/24/200(E15057)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 135.3 dB ii) Cpk (145 dB Max) - 160.6 dB	Failed
48	TS/E/7(2)/13/422	Hydrogen Bomb	Parasram Fireworks Industries, Nagpur	M/s. Abdul Gafoor & Sons, Nagpur E/WC/MH/24/200(E15057)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.8 dB ii) Cpk (145 dB Max) - 144.9 dB	Passed
49	TS/E/7(2)/13/423	Metro	Metro Fireworks, Sivakasi	M/s. Pooja Fireworks, Nagpur E/WC/MH/24/173(E3225)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 126.7 dB ii) Cpk (145 dB Max) - 144.6 dB	Passed
50	TS/E/7(2)/13/424	Taj	Ponmalar Fireworks, Sivakasi	M/s. Pooja Fireworks, Nagpur E/WC/MH/24/173(E3225)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 112.4 dB ii) Cpk (137.7 dB Max) - 124.6 dB	Passed

51	TS/E/7(2)/13/425	Hydro Bomb	Ponmalar Fireworks, Sivakasi	M/s. Pooja Fireworks, Nagpur E/WC/MH/24/173(E3225)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 129.2 dB Cpk (145 dB Max) - 152.8 dB	ii)	Failed
52	TS/E/7(2)/13/426	Bhim Bomb	Srinarmadha Fireworks, Sivakasi	M/s. Pooja Fireworks, Nagpur E/WC/MH/24/173(E3225)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.2 dB Cpk (145 dB Max) - 150.3 dB	ii)	Failed
53	TS/E/7(2)/13/427	Hydrogen Bomb	Standard Fireworks, Sivakasi	M/s. Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/42(E14598)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.6 dB Cpk (145 dB Max) - 144.6 dB	ii)	Passed
54	TS/E/7(2)/13/428	Atomic Green	Jayalakshmi Fireworks, Rajpalayam	M/s. Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/42(E14598)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.6 dB Cpk (145 dB Max) - 149.6 dB	ii)	Failed
55	TS/E/7(2)/13/429	Soldier Bomb	Vidharbha Fireworks, Akola	M/s. Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/42(E14598)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.3 dB Cpk (145 dB Max) - 158.6 dB	ii)	Failed
56	TS/E/7(2)/13/430	Jumbo Bomb	Jumbo Fireworks, Sivakasi	M/s. Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/42(E14598)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 131.6 dB Cpk (145 dB Max) - 154.6 dB	ii)	Failed
57	TS/E/7(2)/13/431	Jumbo Bomb	Jumbo Fireworks, Sivakasi	M/s. Roshan Jagdish Prasad Agrawal, Nagpur E/WC/MH/24/329(E24020)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 130.7 dB Cpk (145 dB Max) - 150.6 dB	ii)	Failed
58	TS/E/7(2)/13/432	Taj Giant Crackers	Sri Angel Fireworks, Sivakasi	M/s. Roshan Jagdish Prasad Agrawal, Nagpur E/WC/MH/24/329(E24020)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 123.4 dB Cpk (137.7 dB Max) - 145.6 dB	ii)	Failed
59	TS/E/7(2)/13/433	Atom Bomb Small	Sri Ram Fireworks, Sivakasi	M/s. Roshan Jagdish Prasad Agrawal, Nagpur E/WC/MH/24/329(E24020)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 130.5 dB Cpk (145 dB Max) - 150.5 dB	ii)	Failed
60	TS/E/7(2)/13/434	Hydro Bomb	Sri Ram Fireworks, Sivakasi	M/s. Roshan Jagdish Prasad Agrawal, Nagpur E/WC/MH/24/329(E24020)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 121.0 dB Cpk (145 dB Max) - 141.8 dB	ii)	Passed
61	TS/E/7(2)/13/435	Thunder	Standard Fireworks, Sivakasi	Asian Explosives, Nagpur E/WC/MH/24/542(E54503)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 133.3 dB Cpk (145 dB Max) - 157.7 dB	ii)	Failed
62	TS/E/7(2)/13/436	Laxmi Super Delux	Vidarbha Fireworks, Akola	Asian Explosives, Nagpur E/WC/MH/24/542(E54503)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 123.3 dB Cpk (145 dB Max) - 140.8 dB	ii)	Passed
63	TS/E/7(2)/13/437A	2 Sound	Sargunam Fireworks, Sivakasi	Asian Explosives, Nagpur E/WC/MH/24/542(E54503)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 118.3 dB Cpk (145 dB Max) - 130.8 dB	ii)	Passed

64	TS/E/7(2)/13/437B	Lalkar	Babdookwala Fireworks Industries, Akola	Asian Explosives, Nagpur E/WC/MH/24/542(E54503)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 134.2 dB Cpk (145 dB Max) - 158.1 dB	ii)	Failed
65	TS/E/7(2)/13/439	Cheetah	Jothi Fireworks, Sivakasi	Asian Explosives, Nagpur E/WC/MH/24/41(E14586)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 127.1 dB Cpk (145 dB Max) - 148.9 dB	ii)	Failed
66	TS/E/7(2)/13/441	Mega Power Green	Jothi Fireworks, Sivakasi	Ashian Explosives, Nagpur E/WC/MH/24/57(E14657)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.0 dB Cpk (145 dB Max) - 144.6 dB	ii)	Failed
67	TS/E/7(2)/13/442	Bofors	Vidarbha Fireworks, Akola.	Ashian Explosives, Nagpur E/WC/MH/24/57(E14657)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.3 dB Cpk (145 dB Max) - 143.8 dB	ii)	Passed
68	TS/E/7(2)/13/443	laxmi	Standard Fireworks, Sivakasi	Umasan Enterprises, Nagpur E/WC/MH/24/442(E25916)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.6 dB Cpk (145 dB Max) - 143.9 dB	ii)	Passed
69	TS/E/7(2)/13/444	Lalkar	Bandook Wala Fireworks Industries, Akola	Ashian Explosives, Nagpur E/WC/MH/24/57(E14657)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 123.2 dB Cpk (145 dB Max) - 143.6 dB	ii)	Passed
70	TS/E/7(2)/13/445	Taj Giant Crackers	Thirumurugan Fireworks, Sivakasi	Ashian Explosives, Nagpur E/WC/MH/24/57(E14657)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 112.4 dB Cpk (145 dB Max) - 122.8 dB	ii)	Passed
71	TS/E/7(2)/13/446	2 Sound	LVR Fireworks, Sivakasi	Ashian Explosives, Nagpur E/WC/MH/24/57(E14657)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.8 dB Cpk (145 dB Max) - 144.6 dB	ii)	Passed
72	TS/E/7(2)/13/447	Thunder Bomb	Standard Fireworks, Sivakasi	Umasan Enterprises, Nagpur E/WC/MH/24/410(E-25863)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 135.2 dB Cpk (145 dB Max) - 159.6 dB	ii)	Failed
73	TS/E/7(2)/13/448	Hydro Bomb	Ayyan Fireworks, Sivakasi	Umasan Enterprises, Nagpur E/WC/MH/24/410(E-25863)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 135.0 dB Cpk (145 dB Max) - 154.6 dB	ii)	Failed
74	TS/E/7(2)/13/449	Laxmi	Bandook Wala Fireworks Industries, Akola	Umasan Enterprises, Nagpur E/WC/MH/24/410(E-25863)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 134.8 dB Cpk (145 dB Max) - 158.6 dB	ii)	Failed
75	TS/E/7(2)/13/458	Classic	Vinayagar Fireworks, Sivakasi	Sri Lal Singh Mohan singh Dixit, Nagpur E/WC/MH/24/106(E-14838)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 127.3 dB Cpk (145 dB Max) - 148.6 dB	ii)	Failed
76	TS/E/7(2)/13/459	Saddam Bomb	Super King Fireworks, Terkheda	Sri Lal Singh Mohan singh Dixit, Nagpur E/WC/MH/24/106(E-14838)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 131.1 dB Cpk (145 dB Max) - 152.1 dB	ii)	Failed

77	TS/E/7(2)/13/460	Laxmi Gold	Sunshine Fireworks, Sivakasi	Sri Lal Singh Mohan singh Dixit, Nagpur E/WC/MH/24/106(E-14838)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 128.5 dB ii) Cpk (145 dB Max) - 148.6 dB	Failed
78	TS/E/7(2)/13/461	Ashoka	Standard Fireworks, Sivakasi	Sri Lal Singh Mohan singh Dixit, Nagpur E/WC/MH/24/106(E-14838)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (117.7 dBmax) - 119.6 dB ii) Cpk (137.7 dB Max) - 147.6 dB	Failed
79	TS/E/7(2)/13/393	Big Bomb	Narmada Fireworks, sivakasi	Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/91(E-14789)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 126.6 dB ii) Cpk (145 dB Max) - 147.4 dB	Failed
80	TS/E/7(2)/13/394	Gajani	Sivashakthi Fireworks, Sivakasi	Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/91(E-14789)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 124.7 dB ii) Cpk (145 dB Max) - 144.1 dB	Passed
81	TS/E/7(2)/13/395	Laxmi	Bandook Wala Fireworks Industries, Akola	Chaturbhuj Ishwardas Balani, Nagpur E/WC/MH/24/91(E-14789)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 130.1 dB ii) Cpk (145 dB Max) - 151.2 dB	Failed
82	TS/E/7(2)/13/453	Hydro Bomb	Sri Ram Fireworks, Sivakasi	Vinayak Agencies, Nagpur E/WC/MH/24/252(E-15126)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 126.4 dB ii) Cpk (145 dB Max) - 148.2 dB	Failed
83	TS/E/7(2)/13/454	Bullet Bomb	Sri Ram Fireworks, Sivakasi	Vinayak Agencies, Nagpur E/WC/MH/24/252(E-15126)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 126.2 dB ii) Cpk (145 dB Max) - 149.6 dB	Failed
84	TS/E/7(2)/13/455	Laxmi	Haritha Fireworks, sivakasi	Vinayak Agencies, Nagpur E/WC/MH/24/252(E-15126)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 124.2 dB ii) Cpk (145 dB Max) - 144.6 dB	Passed
85	TS/E/7(2)/13/466	Hydrogen Bomb	Standard Fireworks, Sivakasi	Shri Anil Dwarka Das Gandhi, Nagpur E/WC/MH/24/172(E-15012)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 134.6 dB ii) Cpk (145 dB Max) - 156.2 dB	Failed
86	TS/E/7(2)/13/467	Bullet	Shanmugapriya Fireworks, sivakasi	Shri Anil Dwarka Das Gandhi, Nagpur E/WC/MH/24/172(E-15012)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 127.5 dB ii) Cpk (145 dB Max) - 149.2 dB	Failed
87	TS/E/7(2)/13/468	Laxmi	Naw anjana Fireworks, Sivakasi	Shri Anil Dwarka Das Gandhi, Nagpur E/WC/MH/24/172(E-15012)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 130.1 dB ii) Cpk (145 dB Max) - 152.2 dB	Failed
88	TS/E/7(2)/13/456	Hydro Bomb	Sri Jayamurugan Fireworks, Sivakasi	Tarachand Gupta & Sons, Nagpur E/WC/MH/24/421(E-25869)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 127.3 dB ii) Cpk (145 dB Max) - 149.2 dB	Failed
89	TS/E/7(2)/13/457	Laxmi	Sri Ram Fireworks, Sivakasi	Tarachand Gupta & Sons, Nagpur E/WC/MH/24/421(E-25869)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 129.6 dB ii) Cpk (145 dB Max) - 150.6 dB	Failed

90	TS/E/7(2)/13/381	Kanha Atom bomb	Shree Kanha Fireworks, Sivakasi	Sri Veerbhan A. Blalni , Nagpur E/WC/MH/24/185(E-15035)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 127.1 dB ii) Cpk (145 dB Max) - 147.0 dB	Failed
91	TS/E/7(2)/13/382	Hydro Bomb	Raju Kann Fireworks, Sivakasi	Sri Veerbhan A. Blalni , Nagpur E/WC/MH/24/185(E-15035)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 131.2 dB ii) Cpk (145 dB Max) - 152.4 dB	Failed
92	TS/E/7(2)/13/383	Mini Bullet Foils	Rathan Fireworks, Sivakasi	Sri Veerbhan A. Blalni , Nagpur E/WC/MH/24/185(E-15035)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 124.4 dB ii) Cpk (145 dB Max) - 144.7 dB	Passed
93	TS/E/7(2)/13/384	Turkey	Shri Krishna Fireworks, Sivakasi	Sri Veerbhan A. Blalni , Nagpur E/WC/MH/24/185(E-15035)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (117.7 dBmax) - 112.1 dB ii) Cpk (137.7 dB Max) - 132.1 dB	Passed
94	TS/E/7(2)/13/385	Agni Atom Green	Vidharbha Fireworks, Akola	M/s Modern Traders, Nagpur E/WC/MH/24/129(E-14902)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 126.2 dB ii) Cpk (145 dB Max) - 148.4 dB	Failed
95	TS/E/7(2)/13/386	Alfa Atom Green	Vidharbha Fireworks, Akola	M/s Modern Traders, Nagpur E/WC/MH/24/129(E-14902)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 133.3 dB ii) Cpk (145 dB Max) - 154.1 dB	Failed
96	TS/E/7(2)/13/387	Hydro Bomb	Rajesh Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/129(E-14902)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 134.1 dB ii) Cpk (145 dB Max) - 156.2 dB	Failed
97	TS/E/7(2)/13/388	Hydro Bomb Green	Jyothi Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/129(E-14902)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 128.2 dB ii) Cpk (145 dB Max) - 149.8 dB	Failed
98	TS/E/7(2)/13/389	Atom Bomb	Arjun Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/430(E-25894)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 100.8 dB ii) Cpk (145 dB Max) - 121.5 dB	Passed
99	TS/E/7(2)/13/390	Gajani Big	Shivshakthi Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/430(E-25894)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 131.8 dB ii) Cpk (145 dB Max) - 121.5 dB	Failed
100	TS/E/7(2)/13/391	Hathi Delux	Sri Kanha Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/430(E-25894)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (117.7 dBmax) - 117.7 dB ii) Cpk (137.7 dB Max) - 137.1 dB	Passed
101	TS/E/7(2)/13/392	Hathi Ladai	Arvind Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/430(E-25894)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (117.7 dBmax) - 126.1 dB ii) Cpk (137.7 dB Max) - 146.4 dB	Failed
102	TS/E/7(2)/13/396	Atom Bomb	Arjun Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/99(E-14819)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 110.1 dB ii) Cpk (145 dB Max) - 133.7 dB	Passed



103	TS/E/7(2)/13/397	Mini Bullet	Sri Kaliswari Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/99(E-14819)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 133.8 dB Cpk (145 dB Max) - 156.9 dB	ii)	Failed
104	TS/E/7(2)/13/398	Mini Hydro Bomb	Deepika Fireworks, Sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/99(E-14819)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 130.8 dB Cpk (145 dB Max) - 151.7 dB	ii)	Failed
105	TS/E/7(2)/13/399	Hydrogen Bomb	Haritha Fireworks, sivakasi	M/s Modern Traders, Nagpur E/WC/MH/24/99(E-14819)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 135.4 dB Cpk (145 dB Max) - 157.1 dB	ii)	Failed
106	TS/E/7(2)/13/462	Kargil	Standard Fireworks, Sivakasi	M/s Sonal Enterprises , Nagpur E/WC/MH/24/425(E-25886)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 105.7 dB Cpk (145 dB Max) - 127.2 dB	ii)	Passed
107	TS/E/7(2)/13/463	Cake Bomb	Standard Fireworks, Sivakasi	M/s Sonal Enterprises , Nagpur E/WC/MH/24/425(E-25886)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 124.1 dB Cpk (145 dB Max) - 144.5 dB	ii)	Passed
108	TS/E/7(2)/13/464	Sholay	Deepam Fireworks, Sivakasi	M/s Sonal Enterprises , Nagpur E/WC/MH/24/425(E-25886)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 132.8 dB Cpk (145 dB Max) - 153.3 dB	ii)	Failed
109	TS/E/7(2)/13/465	Bullet Bomb	Deepam Fireworks, Sivakasi	M/s Sonal Enterprises , Nagpur E/WC/MH/24/425(E-25886)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/25/2013	i) AI (125 dBmax) - 123.1 dB Cpk (145 dB Max) - 143.2 dB	ii)	Passed
110	TS/E/7(2)/13/342	Laxmi	Vedivel Fireworks Sivakasi	M/s Chandak Corporation , Nagpur E/WC/MH/24/446(E-25927)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 124.7 dB Cpk (145 dB Max) - 144.8 dB	ii)	Passed
111	TS/E/7(2)/13/343	Electric Cracker	Standard Fireworks Sivakasi	M/s Chandak Corporation , Nagpur E/WC/MH/24/446(E-25927)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 102.8 dB Cpk (137.7 dB Max) - 122.4 dB	ii)	Passed
112	TS/E/7(2)/13/344	Taj Gaint	Ajit Kumar Fireworks Sivakasi	M/s Chandak Corporation , Nagpur E/WC/MH/24/446(E-25927)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 92.8 dB Cpk (137.7 dB Max) - 112.7 dB	ii)	Passed
113	TS/E/7(2)/13/345	100 Wala	Deepak Fireworks Sivakasi	M/s Chandak Corporation , Nagpur E/WC/MH/24/446(E-25927)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (115.0 dBmax) - 122.3 dB Cpk (135.0 dB Max) - 145.1 dB	ii)	Failed
114	TS/E/7(2)/13/349	Delux	Thirumenakshi Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/147(E-3195)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 127.3 dB Cpk (137.7 dB Max) - 151.1 dB	ii)	Failed
115	TS/E/7(2)/13/346	Mini Bullet	Pooja Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/147(E-3195)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 112.9dB Cpk (145 dB Max) - 136.8 dB	ii)	Passed

116	TS/E/7(2)/13/347	Krishna	Jumbo Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/147(E-3195)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 131.4dB ii) Cpk (145 dB Max) - 155.5 dB	Failed
117	TS/E/7(2)/13/348	Krishna	Standard Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/147(E-3195)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 126.8dB ii) Cpk (145 dB Max) - 146.6 dB	Failed
118	TS/E/7(2)/13/350	Hydro Bomb Green	Ayyannar Fireworks Sivakasi	M/s Harish D. Balani , Nagpur E/WC/MH/24/207(E-15065)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 130.3dB ii) Cpk (145 dB Max) - 150.5 dB	Failed
119	TS/E/7(2)/13/351	Super Bomb	Ayyannar Fireworks Sivakasi	M/s Harish D. Balani , Nagpur E/WC/MH/24/207(E-15065)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 134.6dB ii) Cpk (145 dB Max) - 158.8 dB	Failed
120	TS/E/7(2)/13/352	Robin's Bullet Bomb	Srilinga Fireworks Sivakasi	M/s Harish D. Balani , Nagpur E/WC/MH/24/207(E-15065)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.4dB ii) Cpk (145 dB Max) - 151.8 dB	Failed
121	TS/E/7(2)/13/353	Falcon	Falcon Fireworks Sivakasi	M/s Harish D. Balani , Nagpur E/WC/MH/24/207(E-15065)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 107.8 dB ii) Cpk (137.7 dB Max) - 127.4 dB	Passed
122	TS/E/7(2)/13/354	Bullet Bomb	Popular Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/180(E-15024)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 133.0dB ii) Cpk (145 dB Max) - 156.8 dB	Failed
123	TS/E/7(2)/13/355	Mini Bullet	Pooja Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/180(E-15024)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 112.4dB ii) Cpk (145 dB Max) - 121.5 dB	Passed
124	TS/E/7(2)/13/356	Sholay Bomb	Adhiparashakti Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/180(E-15024)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 118.4dB ii) Cpk (145 dB Max) - 135.1 dB	Passed
125	TS/E/7(2)/13/357	Gold Laxmi	Adhiparashakti Fireworks Sivakasi	M/s Ashok Chandak , Nagpur E/WC/MH/24/180(E-15024)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 123.1dB ii) Cpk (145 dB Max) - 145.0 dB	Passed
126	TS/E/7(2)/13/361	Bullet Bomb	Sunshine Pyro India, Sivakasi	Vasudeo P. Karwatkar, Nagpur E/WC/MH/24/101(E-14826)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 133.1dB ii) Cpk (145 dB Max) - 156.5 dB	Failed
127	TS/E/7(2)/13/362	Garland 28 Wala	Jyothi Fireworks, Sivakasi	Vasudeo P. Karwatkar, Nagpur E/WC/MH/24/101(E-14826)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (117.7 dBmax) - 111.8 dB ii) Cpk (137.7 dB Max) - 137.7dB	Passed
128	TS/E/7(2)/13/363	Jyothi 28 Wala	Jyothi Fireworks, Sivakasi	Vasudeo P. Karwatkar, Nagpur E/WC/MH/24/101(E-14826)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 114.0 dB ii) Cpk (145 dB Max) - 133.3 dB	Passed

129	TS/E/7(2)/13/364	Sunshine Parrot	Sunshine Fireworks, Sivakasi	Vasudeo P. Karwatkar, Nagpur E/WC/MH/24/101(E-14826)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 127.4dB ii) Cpk (145 dB Max) - 150.6dB	Failed
130	TS/E/7(2)/13/365	Tiger Bomb	Star Fireworks, Nagpur	M/s. S.K. Suleman & Sons, Nagpur E/WC/MH/24/55(E-14647)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 132.4dB ii) Cpk (145 dB Max) - 154.8 dB	Failed
131	TS/E/7(2)/13/366	Electric Cracker (56 Wals)	Standard Fireworks, Sivakasi	M/s. S.K. Suleman & Sons, Nagpur E/WC/MH/24/55(E-14647)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (116.2 dBmax) - 121.6dB ii) Cpk (136.2 dB Max) - 144.1 dB	Failed
132	TS/E/7(2)/13/367	King of King	Vinayagar Fireworks, Sivakasi	M/s. Shri Veerbhan Balani, Nagpur E/WC/MH/24/312(E-15259)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 123.3dB ii) Cpk (145 dB Max) - 140.8 dB	Passed
133	TS/E/7(2)/13/368	Bullet Foil	Bandukwala Fireworks, Akola.	M/s. Shri Veerbhan Balani, Nagpur E/WC/MH/24/312(E-15259)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 135.3dB ii) Cpk (145 dB Max) - 159.7 dB	Failed
134	TS/E/7(2)/13/369	Super Bullet	Srikrishna Fireworks, Sivakasi	M/s. Shri Veerbhan Balani, Nagpur E/WC/MH/24/312(E-15259)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.6 dB ii) Cpk (145 dB Max) - 149.1 dB	Failed
135	TS/E/7(2)/13/370	Treat Wall	Gnanavel Fireworks, Sivakasi	M/s. Shri Veerbhan Balani, Nagpur E/WC/MH/24/312(E-15259)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 131.9dB ii) Cpk (145 dB Max) - 150.8 dB	Failed
136	TS/E/7(2)/13/371	Pukaar	Bandukwala Fireworks, Akola.	M/s. Shri Veerbhan A. Balani, Nagpur E/WC/MH/24/198(E-15054)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 125.0dB ii) Cpk (145 dB Max) - 145.0 dB	Passed
137	TS/E/7(2)/13/372	Atom Bomb Green	Haritha Fireworks, Sivakasi.	M/s. Shri Veerbhan A. Balani, Nagpur E/WC/MH/24/198(E-15054)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 137.3dB ii) Cpk (145 dB Max) - 162.4 dB	Failed
138	TS/E/7(2)/13/373	Black Commando	Vidarbha Fireworks, Akola.	M/s. Shri Veerbhan A. Balani, Nagpur E/WC/MH/24/198(E-15054)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 127.4dB ii) Cpk (145 dB Max) - 149.7 dB	Failed
139	TS/E/7(2)/13/374	Laxmi	Raju Kanna Fireworks, Sivakasi	M/s. Shri Veerbhan A. Balani, Nagpur E/WC/MH/24/198(E-15054)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 133.9 dB ii) Cpk (145 dB Max) - 157.9 dB	Failed
140	TS/E/7(2)/13/375	Hydrogen Bomb	Parasaram Fireworks, Nagpur.	M/s. Tulsidas Nebandas, Nagpur E/WC/MH/24/184(E-15031)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 131.4 dB ii) Cpk (145 dB Max) - 155.7 dB	Failed
141	TS/E/7(2)/13/376	Laxmi	Raju Kanna Fireworks, Sivakasi	M/s. Tulsidas Nebandas, Nagpur E/WC/MH/24/184(E-15031)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 127.6 dB ii) Cpk (145 dB Max) - 147.6 dB	Failed

142	TS/E/7(2)/13/377	Sholay Bomb	Rajesh Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/380(E-25808)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 128.7 dB ii) Cpk (145 dB Max) - 151.9 dB	Failed
143	TS/E/7(2)/13/378	Atom Bomb Green	Jyothi Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/380(E-25808)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 126.4 dB ii) Cpk (145 dB Max) - 148.7 dB	Failed
144	TS/E/7(2)/13/379	King Bullet Bomb	Gems Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/380(E-25808)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 132.4 dB ii) Cpk (145 dB Max) - 156.3 dB	Failed
145	TS/E/7(2)/13/380	Laxmi	Raju Kanna Fireworks, Sivakasi	M/s. Modern Traders, Nagpur E/WC/MH/24/380(E-25808)	Dy. CCE, DTS, Gondkahiry	10/23/2013	10/24/2013	i) AI (125 dBmax) - 132.2 dB ii) Cpk (145 dB Max) - 155.9 dB	Failed