



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

Petroleum and Explosives Safety Organisation

(पूर्व नाम - विस्फोटक विभाग)

(Formerly- Department of Explosives)

“ए-ब्लॉक”, पाँचवा तल, केन्द्रीय कार्यालय परिसर

“A” Block, 5th Floor, CGO Complex,

सेमिनरी हिल्स, नागपूर - 440 006 (महा)

Seminary Hills, Nagpur- 440006

संख्या /No. D-18018/04/2013/PESO/SETT(TECH)

दिनांक /Nagpur, dated 10/08/2023

Website : <http://peso.gov.in>
Email: explosives@explosives.gov.in

दूरभाष/ Telephone : 0712-2510248

फैक्स/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि “मुख्य विस्फोटक नियंत्रक” के पदनाम से भेजे जाए उनके व्यक्तिगत नाम से नहीं.

All communications intended for this Office should be addressed to the ‘Chief Controller of Explosives’ and NOT to him by name.

CIRCULAR

To,

1. All Explosives Manufacturers other than SME & ANFO manufacturers.
2. License holders (except Form LE-3 granted for Fireworks) under Explosives Rules, 2008 by Petroleum and Explosives Safety Organisation (PESO)

Sub : Implementation SETT Level III for printing of 2D Bar code on unit level of explosives (except detonators) – Reg.

Sir(s),

Reference this office circular of even no. dated 15/06/2023 vide which it was intimated that the SETT level III will be implemented w.e.f. 15.07.2023.

All the explosives manufacturers are advised to stop manufacture of explosives products (except detonators) which are not on boarded for application of 2D Bar code in SETT Level III.

In case, any manufacturer found manufacturing explosives without printing 2D Bar code on unit level of explosives will be treated as unauthorized manufacture and action as deem fit for non compliance of provision stipulated under rule 24(5) of Explosives Rules, 2008.

Yours faithfully,

(P. Kumar)

Chief Controller of Explosives

Copy to,

All Circle & Sub-Circle offices for strict implementation of the above direction and action taken report in this regard shall be submitted to this office.

Chief Controller of Explosives