

Website : <http://explosives.nic.in>  
Email:  
explosives@explosives.gov.in  
दूरभाष/ Telephone : 0712-2510248  
QSDI/ FAX : 2510577

कार्यालयीन उद्देश्य के सभी पत्रादि मुख्य विस्फोटक नियंत्रक के पदनाम से भेजे जाए उनके व्यक्तिगत नाम से नहीं।

All communications intended for this Office should be addressed to the 'Chief Controller of Explosives' and NOT to him by name.



भारत सरकार

GOVERNMENT OF INDIA  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन  
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION  
(पूर्व नाम-विस्फोटक विभाग)  
(Formerly- Department of Explosives)  
ए ब्लॉक फॉर्चवा तलए केंद्रीय कार्यालय परिसर  
"A" Block, 5<sup>th</sup> Floor, CGO Complex,  
सेमीनरी हिल्स नागपुर - 440006 (महाराष्ट्र)  
Seminary Hills, Nagpur- 440006

**No.P(Misc.)/Flameproof/23**

**Dated - 08/07/2024**

**CIRCULAR**

Sub : Approval of CNG/CBG gas compressors proposed to be installed in the premises covered under license FORM E&F and G of the Gas Cylinders Rules, 2016 - Reg.

Reference is invited to DPIIT, New Delhi's letter No.P-13033/36/2023-Explosives dated 02/11/2023 forwarding therewith DO letter No.S-18020/31/2022-SBM/DDWS dated 19/10/2023 received from the Secretary, Department of Drinking Water and Sanitation (DDWS), Ministry of Jalshakti and letter No.L-16020/5/2023-GP-I(E46813) dated 16/10/2023 received from Ministry of Petroleum and Natural Gas.

Taking into account of the above references and in continuation to this office Circular & Memo No.G.40(Misc)R.Min dated 10/10/2023, 09/11/2023 and 06/11/2023 respectively, it may be noted that CNG/CBG compressor package, used for filling of gas cylinders and for dispensing as automotive fuel installed in the premises covered under license FORM E&F and G of the said Rules were kept in abeyance from obtaining approval from the O/o. Chief Controller of Explosives, Nagpur up to 31/07/2024 & it is hereby extended up to 31/01/2025 subject to following conditions :-

1. All Ex electrical components installed in the CNG/CBG compressor shall be approved by the Chief Controller of Explosives and the approval shall be valid as on date.
2. An undertaking that all the electrical components installed in the CNG/CBG compressor are of the type approved by the Chief Controller of Explosives shall be submitted prior to grant/ amendment (if applicable) of the license as well as during inspection of the premises.

  
(K. Thiagarajan)

Jt. Chief Controller of Explosives  
For Chief Controller of Explosives

✓ To,

All the officers of Circle and Sub Circle Offices of PESO including NAPES & TS